

REVISION CY2010-D	<<STANDARD PARTS LIST>>				02/03/10	
PART No	DESCRIPTION	LIST PRICE PER UNIT	PRICE FOR 10 - 49 UNITS	PRICE FOR 50 + UNITS	APPROXIMATE LEAD TIME	MOQ
PIPE						
DB35ARB125HV	Short Tiger Tails, red/black stripe, HDPE, 35mm ID, 1.25m lengths, 20 lengths per box, conforms with ASTM F712 Class 2, max use 14600 volts				NEXT DAY DESPATCH IF EX STOCK CHECK AT TIME OF ORDER	1 BOX
DB35ARBHV	Regular Tiger Tails, red/black stripe, HDPE, 35mm ID, 2.5m lengths, 20 lengths per box, conforms with ASTM F712 Class 2, max use 14600 volts				NEXT DAY DESPATCH IF EX STOCK CHECK AT TIME OF ORDER	1 BOX
DB35ARB125	Short Tiger Tails, red/black stripe, HDPE, 35mm ID, 1.25m lengths, 20 lengths per box, conforms with AS-4202 Class 1, max use 650 volts				NEXT DAY DESPATCH IF EX STOCK CHECK AT TIME OF ORDER	1 BOX
DB35ARB	Regular Tiger Tails, red/black stripe, HDPE, 35mm ID, 2.5m lengths, 20 lengths per box, conforms with AS-4202 Class 1, max use 650 volts				NEXT DAY DESPATCH IF EX STOCK CHECK AT TIME OF ORDER	1 BOX
DB35A	Regular Tiger Tails, yellow/black stripe, HDPE, 35mm ID, 2.5m lengths, 20 lengths per box, conforms with AS4202 Class I, max use 650 volts				NEXT DAY DESPATCH IF EX STOCK CHECK AT TIME OF ORDER	1 BOX
DB45A	Large Tiger Tails, yellow/black stripe, HDPE, 45mm ID, 2.5m lengths, 10 lengths per box, conforms with AS4202 Class I, max use 650 volts				NEXT DAY DESPATCH IF EX STOCK CHECK AT TIME OF ORDER	1 BOX
LS70	Line Supporter, yellow/black stripe, HDPE, 70mm ID, 2.0m lengths, 1 lengths per box, conforms with AS4202 Class I, max use 650 volts				NEXT DAY DESPATCH IF EX STOCK CHECK AT TIME OF ORDER	1 BOX
GG	Guy Guard, yellow/black stripe, non -insulating HDPE, 45mm ID, 2.0m lengths, 10 lengths per box				NEXT DAY DESPATCH IF EX STOCK CHECK AT TIME OF ORDER	1 BOX
PVC SHEETS						
CIS2C12000	12000 x 1200 x 2mm, dual layer yellow/grey PVC roll, conforms with AS4202 Class II, max use 650 volts, one mark per roll				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 ROLL
CIS2C3500	3500 x 1200 x 2mm, dual layer yellow/grey PVC sheet, conforms with AS4202 Class II, max use 650 volts, one mark per sheet				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
CIS2C3000	3000 x 1200 x 2mm, dual layer yellow/grey PVC sheet, conforms with AS4202 Class II, max use 650 volts, one mark per sheet				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
CIS2C1500	1500 x 1200 x 2mm, dual layer yellow/grey PVC sheet, conforms with AS4202 Class II, max use 650 volts, one mark per sheet				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
CIS2C1000	1000 x 1200 x 2mm, dual layer yellow/grey PVC sheet, conforms with AS4202 Class II, max use 650 volts, one mark per sheet				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA

REVISION CY2010-D	<<STANDARD PARTS LIST>>				02/03/10	
PART No	DESCRIPTION	LIST PRICE PER UNIT	PRICE FOR 10 - 49 UNITS	PRICE FOR 50 + UNITS	APPROXIMATE LEAD TIME	MOQ
PVC LINESMAN COVERS						
LSC225	1200 x 450 x 2mm, dual layer yellow/grey PVC Line Cover(225mm drop), traditional stud fasteners, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
LSC225PS	1200 x 450 x 2mm, dual layer yellow/grey PVC Line Cover(225mm drop), press stud fasteners, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
LSC225M	1200 x 450 x 2mm, dual layer yellow/grey PVC Line Cover(225mm drop), magnetic & press stud fasteners, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
LSC300	1200 x 600 x 2mm, dual layer yellow/grey PVC Line Cover(300mm drop), traditional stud fasteners, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
LSC300PS	1200 x 600 x 2mm, dual layer yellow/grey PVC Line Cover(300mm drop), press stud fasteners, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
LSC300M	1200 x 600 x 2mm, dual layer yellow/grey PVC Line Cover(300mm drop), magnetic & press stud fasteners, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
LSC375	1200 x 750 x 2mm, dual layer yellow/grey PVC Line Cover(375mm drop), traditional stud fasteners, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
LSC375PS	1200 x 750 x 2mm, dual layer yellow/grey PVC Line Cover(375mm drop), press stud fasteners, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
LSC375M	1200 x 750 x 2mm, dual layer yellow/grey PVC Line Cover(375mm drop), magnetic & press stud fasteners, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
SCEA-225M	1500 x 450 x 2mm, dual layer yellow/grey PVC Line Cover(225mm drop), magnetic & press stud fasteners, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
LSC18x225	1800 x 450 x 2mm, dual layer yellow/grey PVC Line Cover(225mm drop), traditional stud fasteners, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA

REVISION CY2010-D	<<STANDARD PARTS LIST>>				02/03/10				
PART No	DESCRIPTION	LIST PRICE PER UNIT	PRICE FOR 10 - 49 UNITS	PRICE FOR 50 + UNITS	APPROXIMATE LEAD TIME	MOQ			
MISCELLANEOUS PVC PRODUCTS									
LSC375Xlink	750 x 600 x 2mm, dual layer yellow/grey PVC Link Switch Cover (375mm drop), traditional stud fasteners, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA			
LSC375PS-Xlink	750 x 600 x 2mm, dual layer yellow/grey PVC Link Switch Cover (375mm drop), press stud fasteners, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA			
LSC375XARM	1200 x 750 x 2mm, dual layer yellow/grey PVC Cross-arm Cover (375mm drop), traditional stud fasteners, with dual cut-out, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA			
LSC375PS-XARM	1200 x 750 x 2mm, dual layer yellow/grey PVC Cross-arm Cover (375mm drop), press stud fasteners with dual cut-out, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA			
SBC-225PS	600 x 450 X 2mm, dual layer yellow/grey PVC Slotted-Opus Cover (225mm drop), press stud fasteners, with single cut-out, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA			
MB-S	370 x 110 x 2mm, dual layer yellow/grey PVC marble bag/sock, welded sides, stitching for reinforcement, hole for cable tie, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA			
MB-M	470 x 110 x 2mm, dual layer yellow/grey PVC marble bag/sock, welded sides, hole for cable tie, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA			
MB-L	500 x 190 x 2mm, dual layer yellow/grey PVC marble bag/sock, welded sides, stitching for reinforcement, hole for cable tie, conforms with AS4202 Class II, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA			
PVC KITS									
SLP-KIT	Street Light Pole Kit, complete insulation for live street light columns around hatch, main items include kit bag, yellow/grey PVC top and bottom pole cover, plastic inserts for side walls of pole and rubber insulation ground mat							2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 KIT
SLP-C-KIT	Street Light Pole Contractors Kit, short form kit, complete insulation for live street light columns around hatch, main items include yellow/grey PVC & PET less certain items included in the full kit	2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 KIT						
SLVM-KIT	Substation Low Voltage Mat Kit for covering live conductors in substation panels	2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 KIT						

REVISION CY2010-D	<<STANDARD PARTS LIST>>				02/03/10	
PART No	DESCRIPTION	LIST PRICE PER UNIT	PRICE FOR 10 - 49 UNITS	PRICE FOR 50 + UNITS	APPROXIMATE LEAD TIME	MOQ
RUBBER GROUND MATS						
3EPDM1000LV	1000 x 1000 x 3mm, black EPDM rubber mat, conforms with AS2978 Class B, max use 650 volts, indoor use only				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
3EPDM10000LV	10000 x 1000 x 3mm, black EPDM rubber roll, conforms with AS2978 Class B, max use 650 volts, indoor use only, one mark per roll				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 ROLL
6EPDM1000LV	1000 x 1000 x 6mm, black EPDM rubber mat, conforms with AS2978 Class A, max use 650 volts				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
6EPDM1000HV	1000 x 1000 x 6mm, black EPDM rubber mat, conforms with ASTM D178 Class 2, max use 17KV				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
6EPDM10000LV	10000 x 1000 x 6mm, black EPDM rubber roll, conforms with AS2978 Class A, max use 650 volts, one mark per roll				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 ROLL
6EPDM10000HV	10000 x 1000 x 6mm, black EPDM rubber roll, conforms with ASTM D178 Class 2, max use 17KV, one mark per roll				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 ROLL
10EPDM1000HV	1000 x 1000 x 10mm, black EPDM rubber mat, conforms with ASTM D178 Class 3, max use 26.5KV				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
10EPDM10000HV	10000 x 1000 x 10mm, black EPDM rubber roll, conforms with ASTM D178 Class 3, max use 26.5KV, one mark per roll				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 ROLL
RUBBER SHEETS						
2EPDM10000	10000 x 1200 x 2mm, dual layer yellow/blue EPDM rubber roll, conforms with AS4202 Class II, max use 650 volts, one mark per roll				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 ROLL
2EPDM3500	3500 x 1200 x 2mm, dual layer yellow/blue EPDM rubber sheet, conforms with AS4202 Class II, max use 650 volts, one mark per sheet				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
2EPDM3000	3000 x 1200 x 2mm, dual layer yellow/blue EPDM rubber sheet, conforms with AS4202 Class II, max use 650 volts, one mark per sheet				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
2EPDM1500	1500 x 1200 x 2mm, dual layer yellow/blue EPDM rubber sheet, conforms with AS4202 Class II, max use 650 volts, one mark per sheet				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA
2EPDM1000	1200 x 1000 x 2mm, dual layer yellow/blue EPDM rubber sheet, conforms with AS4202 Class II, max use 650 volts, one mark per sheet				2 WEEKS FROM DATE OF ORDER CHECK AT TIME OF ORDER	1 EA

REVISION CY2010-D	<<STANDARD PARTS LIST>>				02/03/10	
PART No	DESCRIPTION	LIST PRICE PER UNIT	PRICE FOR 10 - 49 UNITS	PRICE FOR 50 + UNITS	APPROXIMATE LEAD TIME	MOQ
OTHER PRODUCTS						
RBG-D72	Polywater wipes - 72 per dispenser	NO DISCOUNTS FOR THE POLYWATER ITEMS ONLY			NEXT DAY DESPATCH IF EX STOCK CHECK AT TIME OF ORDER	5 EA
RBG-35LR	Polywater 1 quart spray - approximately 946 millilitres				NEXT DAY DESPATCH IF EX STOCK CHECK AT TIME OF ORDER	5 EA
YS-211-3-5	Green plastic X Clip or Peg for securing or fastening electrical insulation blankets and covers				NEXT DAY DESPATCH IF EX STOCK CHECK AT TIME OF ORDER	5 EA
E300	Yellow/black stripe, telescopic bars, with heavy duty moulded rubber ends to hook over cones, 1.5 – 3m length				NEXT DAY DESPATCH IF EX STOCK CHECK AT TIME OF ORDER	1 EA
ER300	Red/white stripe, telescopic bars, with heavy duty moulded rubber ends to hook over cones, 1.5 – 3m length				NEXT DAY DESPATCH IF EX STOCK CHECK AT TIME OF ORDER	1 EA
BAG-M	Medium yellow Ripstop zipper bag, 1100 by 200 by 130mm				NEXT DAY DESPATCH IF EX STOCK CHECK AT TIME OF ORDER	1 EA